

County Distribution of Ohio's Federally Threatened, Endangered, Proposed and Candidate Species

For more information about threatened and endangered species in Ohio,
contact the U.S. Fish & Wildlife Service office at 6950-H Americana Parkway,
Reynoldsburg, Ohio 43068-4415 (614/469-6923)

County	Species	Status	Habitat
Adams	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Running buffalo clover (<i>Trifolium stoloniferum</i>)	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
	Sheepnose mussel (<i>Plethobasus cyphus</i>)	Candidate	
Allen	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Ashland	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Ashtabula	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Piping plover (<i>Charadrius melodus</i>)	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Athens	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	American burying beetle (<i>Nicrophorus americanus</i>)	Endangered	
	Sheepnose mussel (<i>Plethobasus cyphus</i>)	Candidate	
Auglaize	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods;

County	Species	Status	Habitat
			upland forests
Belmont	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Brown	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
	Sheepnose mussel (<i>Plethobasus cyphus</i>)	Candidate	
	Running buffalo clover (<i>Trifolium stoloniferum</i>)	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Butler	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Carroll	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Champaign	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Clark	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Eastern prairie fringed orchid (<i>Platanthera leucophaea</i>)	Threatened	Mesic to wet prairies and meadows
Clermont	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
	Sheepnose mussel	Candidate	

County	Species	Status	Habitat
	<i>(Plethobasus cyphus)</i>		
	Running buffalo clover <i>(Trifolium stoloniferum)</i>	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Clinton	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga <i>(Sistrurus catenatus)</i>	Candidate	
Columbiana	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga <i>(Sistrurus catenatus)</i>	Candidate	
Coshocton	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle <i>(Haliaeetus leucocephalus)</i>	Threatened	Mature forest near water
	Clubshell mussel <i>(Pleurobema clava)</i>	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Fanshell mussel <i>(Cyprogenia stegaria)</i> (=C. irrorata)	Endangered	Found in areas of packed sand and gravel at locations in a good current
	Purple cat's paw pearlymussel <i>(Epioblasma obliquata obliquata)</i>	Endangered	Gravel riffles of medium to large rivers
	Rayed bean mussel <i>(Villosa fabalis)</i>	Candidate	
	Sheepnose mussel <i>(Plethobasus cyphus)</i>	Candidate	
Crawford	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle <i>(Haliaeetus leucocephalus)</i>	Threatened	Mature forest near water
	Eastern massasauga <i>(Sistrurus catenatus)</i>	Candidate	
Cuyahoga	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle	Threatened	Mature forest near water

County	Species	Status	Habitat
	<i>(Haliaeetus leucocephalus)</i>		
	Piping plover <i>(Charadrius melodus)</i>	Endangered	Beaches along shorelines of the Great Lakes
Darke	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Defiance	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle <i>(Haliaeetus leucocephalus)</i>	Threatened	Nesting; Mature forest near water
	Copperbelly water snake <i>(Nerodia erythrogaster neglecta)</i>	Threatened	Wooded and permanently wet areas such as oxbows, sloughs, brushy ditches and floodplain woods
	Eastern massasauga <i>(Sistrurus catenatus)</i>	Candidate	
	Clubshell mussel <i>(Pleurobema clava)</i>	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Rayed bean mussel <i>(Villosa fabalis)</i>	Candidate	
Delaware	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle <i>(Haliaeetus leucocephalus)</i>	Threatened	Tall trees near water
	Clubshell mussel <i>(Pleurobema clava)</i>	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Rayed bean mussel <i>(Villosa fabalis)</i>	Candidate	
Erie	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle <i>(Haliaeetus leucocephalus)</i>	Threatened	Mature forest near water
	Piping plover <i>(Charadrius melodus)</i>	Endangered	Beaches along shorelines of the Great Lakes
	Piping Plover <i>(Charadrius melodus)</i>	Critical Habitat Designated	
	Eastern massasauga <i>(Sistrurus catenatus)</i>	Candidate	

County	Species	Status	Habitat
	Lake Erie water snake (<i>Nerodia sipedon insularum</i>)	Threatened	Shorelines of islands in western Lake Erie
	Lakeside daisy (<i>Hymenoxys herbacea</i> Formerly <i>H. acaulis</i> var. <i>glabra</i>)	Threatened	Dry rocky prairies; limestone rock surfaces including outcrops and quarries
Fairfield	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Fayette	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Franklin	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Scioto madtom (<i>Noturus trautmani</i>)	Endangered	Stream riffles of moderate flow over sandy gravel bottom
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Northern riffleshell mussel (<i>Epioblasma torulosa rangiana</i>)	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Fulton	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Gallia	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Pink mucket pearly mussel (<i>Lampsilis abrupta</i>) (= <i>L. orbiculata</i>)	Endangered	The lower Ohio River and its larger tributaries
	Sheepnose mussel	Candidate	

County	Species	Status	Habitat
	<i>(Plethobasus cyphus)</i>		
Geauga	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Greene	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Guernsey	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Hamilton	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Sheepnose mussel (<i>Plethobasus cyphus</i>)	Being evaluated for candidate status	
	Running buffalo clover (<i>Trifolium stoloniferum</i>)	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Hancock	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Hardin	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water

County	Species	Status	Habitat
	Copperbelly water snake (<i>Nerodia erythrogaster neglecta</i>)	Threatened	Wooded and permanently wet areas such as oxbows, sloughs, brushy ditches and floodplain woods
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Harrison	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Henry	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Henry; Mature forest near water
Highland	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Hocking	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	American burying beetle (<i>Nicrophorus americanus</i>)	Endangered	
	Northern monkshood (<i>Aconitum noveboracense</i>)	Threatened	Cool, moist, shaded cliff faces or talus slopes in wooded ravines, near water seeps
	Small whorled pogonia (<i>Isotria medeoloides</i>)	Threatened	Dry woodland; upland sites in mixed forests (second or third growth stage)
Holmes	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern prairie fringed orchid (<i>Platanthera leucophaea</i>)	Threatened	Mesic to wet prairies and meadows
Huron	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods;

County	Species	Status	Habitat
			upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Jackson	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Jefferson	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Knox	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Lake	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Piping plover (<i>Charadrius melodus</i>)	Endangered	Beaches along shorelines of the Great Lakes
	Piping Plover (<i>Charadrius melodus</i>)	Critical Habitat Designated	
Lawrence	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Pink mucket pearly mussel (<i>Lampsilis abrupta</i>) (= <i>L. orbiculata</i>)	Endangered	The lower Ohio River and its larger tributaries
	Running buffalo clover (<i>Trifolium stoloniferum</i>)	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Licking	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water

County	Species	Status	Habitat
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Logan	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Lorain	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Piping plover (<i>Charadrius melodus</i>)	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Lucas	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Piping plover (<i>Charadrius melodus</i>)	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
	Karner blue butterfly (<i>Lycaeides melissa samuelis</i>)	Endangered	Pine barrens and oak savannas on sandy soils and containing wild lupines (<i>Lupinus perennis</i>), the only known food plant of larvae.
	Eastern prairie fringed orchid (<i>Platanthera leucophaea</i>)	Threatened	Mesic to wet prairies and meadows
Madison	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Scioto madtom (<i>Noturus trautmani</i>)	Endangered	Stream riffles of moderate flow over sandy gravel bottom
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Northern riffleshell mussel (<i>Epioblasma torulosa</i>)	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie

County	Species	Status	Habitat
	<i>rangiana</i>)		
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Mahoning	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Marion	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Medina	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Meigs	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Fanshell mussel (<i>Cyprogenia stegaria</i>) (= <i>C. irrorata</i>)	Endangered	Found in areas of packed sand and gravel at locations in a good current
	Pink mucket pearlymussel (<i>Lampsilis abrupta</i>) (= <i>L. orbiculata</i>)	Endangered	The lower Ohio River and its larger tributaries
	Sheepnose mussel (<i>Plethobasus cyphus</i>)	Candidate	
Mercer	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Miami	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests

County	Species	Status	Habitat
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Monroe	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Montgomery	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Morgan	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Nesting; Mature forest near water
	Fanshell mussel (<i>Cyprogenia stegaria</i>) (=C. irrorata)	Endangered	Found in areas of packed sand and gravel at locations in a good current
	Pink mucket pearly mussel (<i>Lampsilis abrupta</i>) (= <i>L. orbiculata</i>)	Endangered	The lower Ohio River and its larger tributaries
	Sheepnose mussel (<i>Plethobasus cyphus</i>)	Candidate	
Morrow	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Muskingum	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Fanshell mussel (<i>Cyprogenia stegaria</i>) (=C. irrorata)	Endangered	Found in areas of packed sand and gravel at locations in a good current
Noble	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water

County	Species	Status	Habitat
Ottawa	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Piping plover (<i>Charadrius melodus</i>)	Endangered	Beaches along shorelines of the Great Lakes
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Lake Erie water snake (<i>Nerodia sipedon insularum</i>)	Threatened	Shorelines of islands in western Lake Erie
	Eastern prairie fringed orchid (<i>Platanthera leucophaea</i>)	Threatened	Mesic to wet prairies and meadows
	Lakeside daisy (<i>Hymenoxys herbacea</i>) (Formerly <i>H. acaulis</i>) <i>var. glabra</i>)	Threatened	Dry rocky prairies; limestone rock surfaces including outcrops and quarries
Paulding	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Perry	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Pickaway	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Scioto madtom (<i>Noturus trautmani</i>)	Endangered	Stream riffles of moderate flow over sandy gravel bottom
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Northern riffleshell mussel (<i>Epioblasma torulosa rangiana</i>)	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Pike	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests

County	Species	Status	Habitat
Portage	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Mitchell's satyr butterfly (<i>Neonympha mitchellii mitchellii</i>)	Endangered	Fens; wetlands characterized by calcareous soils which are fed by carbonate-rich water from seeps and springs
	Northern monkshood (<i>Aconitum noveboracense</i>)	Threatened	Cool, moist, shaded cliff faces or talus slopes in wooded ravines, near water seeps
Preble	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Putnam	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Richland	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Ross	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Sandusky	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Piping plover (<i>Charadrius melodus</i>)	Endangered	Beaches along shorelines of the Great Lakes

County	Species	Status	Habitat
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Eastern prairie fringed orchid (<i>Platanthera leucophaea</i>)	Threatened	Mesic to wet prairies and meadows
Scioto	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
	Sheepnose mussel (<i>Plethobasus cyphus</i>)	Candidate	
	Running buffalo clover (<i>Trifolium stoloniferum</i>)	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
	Small whorled pogonia (<i>Isotria medeoloides</i>)	Threatened	Dry woodland; upland sites in mixed forests (second or third growth stage)
	Virginia spiraea (<i>Spiraea virginiana</i>)	Threatened	Streambanks and floodplains
Seneca	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Shelby	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Stark	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
Summit	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Nesting; Mature forest near water
	Northern monkshood (<i>Aconitum noveboracense</i>)	Threatened	Cool, moist, shaded cliff faces or talus slopes in wooded ravines, near water seeps

County	Species	Status	Habitat
Trumbull	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Tuscarawas	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Nesting; Mature forest near water
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
Union	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Scioto madtom (<i>Noturus trautmani</i>)	Endangered	Stream riffles of moderate flow over sandy gravel bottom
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Northern riffleshell mussel (<i>Epioblasma torulosa rangiana</i>)	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
Van Wert	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
Vinton	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	American burying beetle (<i>Nicrophorus americanus</i>)	Endangered	
Warren	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Eastern massasauga	Candidate	

County	Species	Status	Habitat
	(<i>Sistrurus catenatus</i>)		
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
	Running buffalo clover (<i>Trifolium stoloniferum</i>)	Endangered	Disturbed bottomland meadows; disturbed sites that have shade during part of each day
Washington	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Fanshell mussel (<i>Cyprogenia stegaria</i>) (= <i>C. irrorata</i>)	Endangered	Found in areas of packed sand and gravel at locations in a good current
	Pink mucket pearly mussel (<i>Lampsilis abrupta</i>) (= <i>L. orbiculata</i>)	Endangered	The lower Ohio River and its larger tributaries
	Sheepnose mussel (<i>Plethobasus cyphus</i>)	Candidate	
Wayne	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Eastern prairie fringed orchid (<i>Platanthera leucophaea</i>)	Threatened	Mesic to wet prairies and meadows
Williams	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Copperbelly water snake (<i>Nerodia erythrogaster neglecta</i>)	Threatened	Wooded and permanently wet areas such as oxbows, sloughs, brushy ditches and floodplain woods
	Clubshell mussel (<i>Pleurobema clava</i>)	Endangered	Found in coarse sand and gravel areas of runs and riffles within streams and small rivers
	Northern riffleshell mussel (<i>Epioblasma torulosa rangiana</i>)	Endangered	Large streams and small rivers in firm sand of riffle areas; also occurs in Lake Erie
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	
	White cat's paw pearlymussel (<i>Epioblasma obliquata perobliqua</i>)	Endangered	Firm sand or gravel riffles in small streams and medium to large rivers
Wood	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods;

County	Species	Status	Habitat
			upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
Wyandot	Indiana bat (<i>Myotis sodalis</i>)	Endangered	Hibernacula = Caves and mines; Maternity and foraging habitat = small stream corridors with well developed riparian woods; upland forests
	Bald eagle (<i>Haliaeetus leucocephalus</i>)	Threatened	Mature forest near water
	Eastern massasauga (<i>Sistrurus catenatus</i>)	Candidate	
	Rayed bean mussel (<i>Villosa fabalis</i>)	Candidate	

Revised May 22, 2006